	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	174	(DFE or feedback adj2 equaliz$9 or FBF or feedback adj2 filter$3 or train$3 near2 equaliz$9) same (compar$5 near3 BER$1 or compar$5 near3 BYER$1 or compar$6 near3 error$1 or compar$6 near3 FEC$1)	US-PGPUB; USPAT; EPO; JPO	2006/05/18 14:11	
2	BRS	L2	72	(mode near3 select$4 or mode near3 switch$6 or dual adj2 mode$1 near3 select$4 or dual adj2 mode$1 near3 switch$6 or first adj2 mode near3 second adj2 mode near3 select$4 or first adj2 mode near3 second adj2 mode near3 switch$6 or mode near3 MUX or mode near2 multiplex$6) and 1	US-PGPUB; USPAT; EPO; JPO	2006/05/18 14:04	

	Error Definition	Err ors
1		
2		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
3	BRS	L3	120	(DFE or feedback adj2 equaliz$9 or FBF or feedback adj2 filter$3 or train$3 near2 equaliz$9) same (mode near3 select$4 or mode near3 switch$6 or dual adj2 mode$1 near3 select$4 or dual adj2 mode$1 near3 switch$6 or first adj2 mode near3 second adj2 mode near3 select$4 or first adj2 mode near3 second adj2 mode near3 switch$6 or mode near3 MUX or mode near2 multiplex$6 or track$3 adj2 mode with train$4 adj2 mode)	US-PGPUB; USPAT; EPO; JPO	2006/05/18 14:12	
4	BRS	L4	9	(DFE or feedback adj2 equaliz$9 or FBF or feedback adj2 filter$3 or train$3 near2 equaliz$9) with (plural$3 adj2 mode$1 or parallel adj2 mode$1 or multi$3 adj2 mode$1)	US-PGPUB; USPAT; EPO; JPO	2006/05/18 14:17	

	Error Definition	Err ors
3		
4		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
5	BRS	L5	7	(DFE or feedback adj2 equaliz$9 or FBF or feedback adj2 filter$3 or train$3 near2 equaliz$9) with (blind adj1 mode with train$4 adj2 mode$1 OR SOFT adj2 mode with standard adj2 mode or soft adj2 mode with hard adj2 mode or soft adj2 mode with blind adj2 mode or soft adj2 mode with train$4 adj2 mode) with (Switch$6 or select$4 or MUX or multiplex$3)	US-PGPUB; USPAT; EPO; JPO	2006/05/18 14:22	
6	BRS	L6	17	(DFE or feedback adj2 equaliz$9 or FBF or feedback adj2 filter$3 or train$3 near2 equaliz$9) same (blind adj1 mode with train$4 adj2 mode$1 OR SOFT adj2 mode with standard adj2 mode or soft adj2 mode with hard adj2 mode or soft adj2 mode with blind adj2 mode or soft adj2 mode with train$4 adj2 mode) same (Switch$6 or select$4 or MUX or multiplex$3)	US-PGPUB; USPAT; EPO; JPO	2006/05/18 14:22	
7	BRS	L7	10	6 not 5	US-PGPUB; USPAT; EPO; JPO	2006/05/18 14:22	

	Error Definition	Errors
5		
6		
7		